

Explore Our Products For Exhaust System..







www.sislpune.com



marketing@sislpune.com









- Dimension: 9.6 x 2.5 x 3.5 mtr.
- Cycle time for cutting 600 mm long pipe with end notches is 10 sec
- We have incorporated special id holding main chuck so that we can utilize the pipe up to the last end ensuring that only 150 mm of scrap remains
- We have utilized a 3 jaw self centering chuck as the mid chuck with pre set jaws to ensure exact concentricity of pipes held
- This machine is equipped with an automatic loading system for bulk pipe storage. The machine loads the pipe automatically and produces precise, burr-free cuts to meet desired shapes or sizes.


Our Production.







ID OD Sizing SPM



- This machine is designed to simultaneously Resize the ID and OD of the component.
- Ovality generated due to welding operations on the shell can be corrected.
- Total 4 hydraulic cylinders are used 2 for each station all of the hydraulic cylinders are used in closed loop system and feedback of motion is received through laser distance sensors the cylinders are controlled with a rapid feed valve system and position can be controlled in an accuracy of 200 microns.
- The machine is equired with a auto calibration device to ensure accuracy of distance feedback during long operations.
- Since tooling weight is about 40 kg thus the machine is also equipped with 500 kg crane.

Our Production.







CNC Controlled Casing Deburring Machine

•A CNC controlled Lathe machine developed, dedicatedly for deburring operation of casing.





Our Production.








Sensor Boss Hole Drilling Machine



- Used for drilling large (Ø35) hole in exhaust pipes.
- Holes drilled with relation to bend of pipes.
- Capacity: Pipe length upto 2.5 m.



Our Production.








Horizontal Pipe Cutting Machine

- Low-cost machine for cutting small length pipes
- ❖ Pipe diameter from Ø25 to Ø100 mm
- ❖ Pipe length accuracy achieved within ±0.3
- Hydraulic clamping ensures vibration free cuts



Our Production.







Our Customers:

